



# CITY OF AZTEC REQUEST FOR QUOTATION RFQ 2016-553

DATE: 02/10/16	RETURN TO: CITY OF AZTEC Electric Department	THIS IS NOT AN ORDER
RFQ #: 2016-553	ATTN: RFQ #2016-553	
DUE DATE: 02/17/16	201 W CHACO AZTEC NM 87410	
TIME: 1:00pm	EMAIL: graymond@aztecnm.gov  PHONE: (505) 334-7667 FAX: (505) 334-7684	

NAME OF COMPANY SUBMITTING QUOTE: \_\_\_\_\_

NEW MEXICO IN STATE PREFERENCE	PAYMENT TERMS	F.O.B./FREIGHT TERMS	SHIPPING TIME
# _____  <u>In-State or Veteran's Preference will be applied to only those certified vendors who have completed item 6 or 7 below.</u>  <b style="color: red;">Number and certificate must be provided to be considered.</b>	_____% _____ DAYS  NET 30 DAYS AFTER RECEIPT OF INVOICE		

DESCRIPTION	PRICE
Qty 1 – AB Series, Rotating Airport Beacon Lights, FAA L-801A Specifications: AB-500P64, RPM: 12, Dimensions: 30" high, 22" diameter, Actual Weight: 40lbs, Lamps: Two, sealed beam, 500W Par 64, Beam Width: 5° wide x 32° high, Rated Lamp Life: 4000 hours, Power Requirements: 117V AC, 60Hz, 1900W, 10.2 amps. Or equivalent will be accepted.  <b>**See attached for specifications**</b>	

**Refer all questions regarding this Request for Quotation to Geri Raymond at (505) 334-7667 or email graymond@aztecnm.gov**

1. RFQ should be based on FOB Destination with freight allowed and must indicate normal lead time and/or best delivery date on the items listed.
2. This RFQ and any required documents must be received by the Department indicated on the RFQ by the date and time indicated.
3. All supplies and components quoted shall be new unless indicated otherwise. Any quotes submitted for used or reconditioned supplies or components will be considered non-responsive. Quotes must be valid for a minimum of 30 days.
4. The RFQ Number shall appear on all quotations and related correspondence.
5. Vendor has received certification from the State Purchasing Agent for Resident/Contractors Certification. Bidder has been issued the above Certification # and is therefore eligible for the 5% preference credit. In-state certification approval is required at the time of the quote opening to be eligible for in-state preference.
6. **RESIDENT VETERANS PREFERENCE:** In accordance with Sections 13-1-21 and 13-1-22 NMSA 1978 and effective July 1, 2012, a new resident veteran's business preference has been implemented. The Taxation and Revenue Department (TRD) will be issuing a three (3) year certificate to each qualified business. Businesses are required to reapply to TRD every three (3) years with the proper documentation to renew their certificate. Attached is one form to be completed and returned with your quote if your firm will qualify for this preference. The veteran's preference will not be extended without the certificate from TRD and the attached Resident Veterans Preference Certification (next page). This preference is separate from the in-state preference and is not cumulative with that preference.
7. RFQ's may be returned via email, fax or USPS. (Reference Item #2)
8. By law (Section 13-1-191, NMSA, 1978) the City is required to inform Vendors of the following: (1) it is a third-degree felony under New Mexico law to commit the offense of bribery of a public officer or public employee (Section 30-24-1, NMSA, 1978); (2) it is a third- degree felony to commit the offense of demanding or receiving a bribe by a public officer or public employee (Section 30-24-2, NMSA, 1978); (3) it is a fourth-degree felony to commit the offense of soliciting or receiving illegal kickbacks (Section 30-41-1, NMSA,1978); (4) it is a fourth-degree felony to commit the offense of offering or paying illegal kickbacks (Section 30-41-2, NMSA, 1978).

SUBMITTED BY (PRINTED NAME):

\_\_\_\_\_

SIGNATURE:

\_\_\_\_\_

(To be a valid offer, authorized Company representative must sign)

COMPANY NAME:

\_\_\_\_\_

DATE: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

\_\_\_\_\_

TELEPHONE#: \_\_\_\_\_

FAX#: \_\_\_\_\_

EMAIL: \_\_\_\_\_

TAX ID NUMBER:

\_\_\_\_\_

IF WORK IS TO BE PERFORMED IN AZTEC, THE FOLLOWING IS REQUIRED TO BE CURRENT:

AZTEC BUSINESS LICENSE: \_\_\_\_\_

NM CONTRACTOR'S LICENSE: \_\_\_\_\_

CLASSIFICATIONS: \_\_\_\_\_

CURRENT INSURANCE CERTIFICATE MUST BE ON FILE WITH CITY OF AZTEC FINANCE DEPARTMENT PRIOR TO WORK COMMENCING.

# Resident Veterans Preference Certification

\_\_\_\_\_ (NAME OF CONTRACTOR) hereby certifies the following in regard to application of the resident veterans' preference to this procurement:

**Please check one box only**

I declare under penalty of perjury that my business prior year revenue starting January 1 ending December 31 is less than \$1M allowing me the 10% preference discount on this solicitation. I understand that knowingly giving false or misleading information about this fact constitutes a crime.

I declare under penalty of perjury that my business prior year revenue starting January 1 ending December 31 is more than \$1M but less than \$5M allowing me the 8% preference discount on this bid or proposal. I understand that knowingly giving false or misleading information about this fact constitutes a crime.

I declare under penalty of perjury that my business prior year revenue starting January 1 ending December 31 is more than \$5M allowing me the 7% preference discount on this bid or proposal. I understand that knowingly giving false or misleading information about this fact constitutes a crime.

"I agree to submit a report, or reports, to the State Purchasing Division of the General Services Department declaring under penalty of perjury that during the last calendar year starting January 1 and ending on December 31, the following to be true and accurate:

"In conjunction with this procurement and the requirements of this business' application for a Resident Veteran Business Preference/Resident Veteran Contractor Preference under Sections 13-1-21 or 13-1-22 NMSA 1978, when awarded a contract which was on the basis of having such veterans preference, I agree to report to the State Purchasing Division of the General Services Department the awarded amount involved. I will indicate in the report the award amount as a purchase from a public body or as a public works contract from a public body as the case may be.

"I understand that knowingly giving false or misleading information on this report constitutes a crime."

I declare under penalty of perjury that this statement is true to the best of my knowledge. I understand that giving false or misleading statements about material fact regarding this matter constitutes a crime.

\_\_\_\_\_  
(Signature of Business Representative)\*      (Date)

\*Must be an authorized signatory for the Business.

The representations made in checking the boxes constitutes a material representation by the business that is subject to protest and may result in denial of an award or unaward of the procurement involved if the statements are proven to be incorrect.



Flight Light Inc.  
2708 47th Ave.  
Sacramento, California, U.S.A.  
95822-3806



AB Series

Rotating Airport Beacon Lights  
FAA L-801A

PH (916) 394-2800 FX (916) 394-2809  
TF (800) 806-3548 EM [info@flightlight.com](mailto:info@flightlight.com)

## Compliance and Applications

FAA L-801A (Models: AB-500HP64, AB-1000D, AB-1000F)

We offer a complete line of rotating beacons for airports and heliports of all sizes. With a product visibility range of 30 to 40 miles and a candlepower range from 190,000 to 400,000, operators are sure to find just the right beacon to meet their needs. All units offer any combination of white (clear), green, red and amber color filters to meet current specifications.

### AB-500P64 - Visibility 30 Miles, 190,000 Candlepower

Our most popular and efficient beacon. Designed for large airports where operating cost is a factor. Visibility range up to 30 miles using half the power of larger units. Lamps mounted in heavy cast aluminum housings with quick release lens for easy lamp replacement. Lamp housing and rotating mechanism are completely weather resistant. Simple installation. Standard green and white (clear) color filters. 24 flashes per minute with 12 RPM motor.

### AB-1000D\* - Visibility 40 Miles, 400,000 Candlepower

Our top-of-the-line in two-headed rotating beacons. Featuring light-weight aluminum enclosure. Heavy-duty gear motor. Completely adjustable angle heads with hinged door for easy lamp replacement. Optional arctic kit available for cold weather environments. Standard green and white (clear) color filters. 24 flashes per minute with 12 RPM motor.

### AB-500HP64\* - Visibility 30 Miles, 285,000 Candlepower

Designed for all heliport applications. Featuring three 500 watt lamps with white (clear), green, and amber color filters. 36 flashes per minute with 12 RPM motor. Range up to 30 miles. Light-weight aluminum enclosure. Easy installation. The right choice for any heliport.

### AB-500FP64 - Visibility 30 Miles, 190,000 Candlepower

### AB-1000F\* - Visibility 40 Miles, 400,000 Candlepower

Two fail-safe beacons with automatic lamp switching. Should either of the primary lamps burn out, the stand-by pair of lamps will automatically light and cancel the primary set. Standard tell-tale circuit warns operations when stand-by lamps go on. Standard green and white (clear) color filters. 24 flashes per minute with 12 RPM motor. All features of other models with aluminum enclosures.



## Beacon Options

- **Photo Electric Cell:** Turns beacon on at sunset, off at sunrise. No wasted electricity for 24 hour operation.\*\*
- **24 Hour Time Clock:** Beacon only runs during hours as preset by operator.\*\*
- **Receiver/Controller:** Controls beacon by radio from aircraft.
- **Arctic Kit:** An installed option for beacons operating in cold weather environments. Kit automatically keeps motor and beacon housing warm when temperature drops. Requires additional separate 117 volt circuit.

## Limited Warranty

Beacons are guaranteed against defects in materials and workmanship for a period of one year (exclusive of bulbs or lamps).

\* FAA Approval per specification L-801A. Arctic kit option does not affect approval. All models are available 220/240V AC, 50Hz for export.

\*\* These devices should not be used for loading the beacon. It is recommended that they be used in conjunction with an appropriately sized contactor.

Visit our web site: [www.flightlight.com](http://www.flightlight.com)



Flight Light Inc.  
 2708 47th Ave.  
 Sacramento, California, U.S.A.  
 95822-3806



PH (916) 394-2800    FX (916) 394-2809  
 TF (800) 806-3548    EM info@flightlight.com

**AB Series**  
**Rotating Airport Beacon Lights**  
**FAA L-801A**

### Specifications

Beacon Model	RPM	Dimensions	Actual Weight	Lamps	Beam Width	Rated Lamp Life	Power Requirements
AB-500P64	12	30" high, 22" diameter	40 lb.	Two, sealed beam, 500W PAR64	5° wide x 32° high	4000 hours	117V AC, 60Hz, 1900W, 10.2 amps
AB-1000D*	12	34" high, 23" diameter	65 lb.	Two, sealed beam, 1000W PAR64	5° wide x 30° high	4000 hours	117V AC, 60Hz, 2250W, 19.2 amps
AB-500HP64*	12	33" high, 27" diameter	52 lb.	Three, sealed beam, 500W PAR64	5° wide x 32° high	4000 hours	117V AC, 60Hz, 1750W, 15.0 amps
AB-500FP64	12	33" high, 22" diameter	65 lb.	Four, sealed beam, 500W PAR64	5° wide x 32° high	4000 hours	117V AC, 60Hz, 1250W, 10.6 amps
AB-1000F*	12	33" high, 25" diameter	70 lb.	Four, sealed beam, 1000W PAR64	5° wide x 30° high	4000 hours	117V AC, 60Hz, 2250W, 19.2 amps

\* FAA Approval per specification L-801A. Arctic kit option does not affect approval. All models are available 220/240V AC, 50Hz for export.

### Ordering Codes

Beacon Model	Option	Voltage	Hz
AB-500P64	A: Arctic Kit	120: 120v	60: 60Hz
AB-1000D		220: 220v	50: 50Hz
AB-500HP64			
AB-500FP64			
AB-1000F			

--	--	--	--

Visit our web site: [www.flightlight.com](http://www.flightlight.com)